



Belscan Continental BV

Stokkelaar 4

9160 Lokeren

Belgium

Tel: +32 9 340 56 26

Email: info@belscan.beHome: www.Belscan.be

PRODUCT DATA SHEET

| | XS | S | M | L | XL | XXL |
|---------------|---|-------------|---------|---------|---------|-----|
| Our reference | | 9001330 | 9001331 | 9001332 | 9001333 | |
| Description | Vinyl Gloves | HY@PRO V M5 | | | AQL 1,5 | |
| | Vinyl gloves blue powder-free M5 100 / dispenser box HY@PRO | | | | | |

PRODUCT PACKAGING IMAGE



PRODUCT DESCRIPTION


| | | | | | | | |
|-----------------|--|------------|--------------|-------------|--------------|--|--|
| Material | | Vinyl | | | | | |
| Colour | | Blue | | | | | |
| Characteristics | | Powderfree | | Non Sterile | Ambidextrous | | |
| Surface | | | Non textured | | | | |

SIZES

| | XS (5-6) | S (6-7) | M (7-8) | L (8-9) | XL (9-10) | XXL (10-11) | XXXL (11-12) |
|--------|----------|------------|------------|-------------|-------------|-------------|--------------|
| Width | | 80 ± 10 mm | 95 ± 10 mm | 110 ± 10 mm | 115 ± 10 mm | | |
| length | | ≥ 240 mm | ≥ 240 mm | ≥ 240 mm | ≥ 240 mm | | |


THICKNESS

| | Cuff | Palm | Fingertips | Overall weight (M) | | | |
|-----------|--------|---------|------------|--------------------|--|--|--|
| Thickness | 0,08mm | 0,10 mm | 0,10mm | 5,0 gram | | | |


| PRODUCT DATA SHEET | | | | | | |
|--------------------|---|---------|---------|---------|---------|-----|
| | XS | S | M | L | XL | XXL |
| Our reference | | 9001330 | 9001331 | 9001332 | 9001333 | |
| Description | Vinyl Gloves | | | | | |
| | Vinyl gloves blue powder-free M5 100 / dispenser box HY@PRO | | | | | |
| |  | | | | | |

| STANDARDISATION EN388 | | | | | | | | |
|-------------------------|---|---|------------------|---------------------|---------------------|-------------|--|--|
| EN 388 | Abrasion resistance | Blade cut resistance | Tear resistance | Puncture resistance | Blad cut resistance | Impact test | | |
| Mechanical risks | | | | | TDM-test | | | |
| Level | | | | | | | | |
| STANDARDISATION EN374 | | | | | | | | |
| EN 374-1 | The gloves must not change their shape too much, nor must they break or stick. | | | | | | | |
| EN 374-2 | The material must not contain any perforations | | | | | | | |
| EN 374-3 | Chemicals must not pass through the glove material | | | | | | | |
| EN 374-4 | Tests are carried out on the duration and the amount of chemical substances that penetrate the glove. | | | | | | | |
| EN 374-4 | Chemical | Code letter | Permeation level | | Degradation | | | |
| | Sodium hydroxide | K | 6 | | 0,40% | | | |
| | Hydrogen peroxide | P | 5 | | -12,40% | | | |
| | Formaldehyde solution | T | 6 | | 7,90% | | | |
| | | | | | | | | |
| | | | | | | | | |
| Accelerators | | | | | | | | |
| EN 374-5 | The glove is tight against microorganisms (viral, bacteria and fungi). | | | | | | | |
| Microorganism tightness | Testing method | Test according to ISO 16604 - method B. | | | | | | |
| STANDARDISATION EN16523 | | | | | | | | |
| EN16523-1 | Determination of material resistance to permeation by chemicals - Part 1: Permeation by potentially hazardous liquid chemicals under conditions of continuous contact | | | | | | | |

| STANDARDISATION EN455 | | | |
|--------------------------------------|--|--|---------|
| EN 455 medical gloves for single use | The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4 | | EN455 |
| EN 455-1 | The glove has an AQL < 1.5 in regards to the water retention test (sampling inspection in acc. to ISO 2859-1, general Inspection Level I) | | EN455-1 |
| EN 455-2: | The tensile strength, thickness and fit is tested with a minimum standard of 6 Newtons. | | EN455-2 |
| EN 455-3 | This biological evaluation tests for the presence of harmful substances such as powder and micro-organisms. | | EN455-3 |
| EN 455-4 | The product tested shelf life | | EN455-4 |
| STANDARDISATION EN21420 | | | |
| ISO EN 21420 Protective gloves | The glove meets the requirements according to EN 420 / ISO EN 21420 | | |

| PRODUCT DATA SHEET | | | | | | |
|--------------------|---|---------|---------|---------|---------|---|
| | XS | S | M | L | XL | XXL |
| Our reference | | 9001330 | 9001331 | 9001332 | 9001333 | |
| Description | Vinyl Gloves | | | | |  |
| | Vinyl gloves blue powder-free M5 100 / dispenser box HY@PRO | | | | | |


| REGALUTORY AFFAIRS | | | | | | | | | |
|------------------------------|--|---------------|--------------|-----------------|---------------------|----|---|---|--------|
| PPE-Regulation (EU) 2016/425 | | | Category III | | | | | | |
| MD-Regulation (EU) 2017/745 | | | | | | | | | |
| CE Regulation | SATRA 2777 | | | | | | | ✓ | CE |
| EUROPEAN REPRESENTATIVE | | | | | | | | ○ | EC REP |
| Food Contact (EG) 1935/2004 | acidic foods | aqueous foods | | alcoholic foods | dry foods | | | ✓ | |
| LATEX | Does not contain latex | | | | | | | ✓ | |
| Storage conditions | Store in original packaging in a dry and dark place at 10°C to 30°C. Refer to guidelines of storage of rubber product as described in ISO2230:2002. Ensure that storage is kept cool, dry and dust-free, avoid ventilation and storage close to photocopy equipment. Copper-ions discolour the glove. Protect gloves against ultraviolet light sources, as sunlight and oxidizing agents. Storage above 30°C will lead to accelerated aging and should be avoided. | | | | Shelf life (months) | 36 | ✓ | | |
| Single/double/Reusable | Examination glove for single use | | | | | | | ✓ | |
| Sterile / Non Sterile | Non Sterile glove | | | | | | | ✓ | |
| ASTM F739 | Symbol used for SW chemotherapy tested gloves that have been tested either by ASTM F739 or by ASTM D6978 | | | | | | | ○ | |
| ASTM D6978 | | | | | | | | | |
| REACH Compliant | REACH is a regulation of the European Union, adopted to improve the protection of human health and the environment from the risks that can be posed by chemicals, while enhancing the competitiveness of the EU chemicals industry. | | | | | | | ✓ | |
| CE | CE conformoty | | | | | | | ✓ | CE |
| Intrastat number | 3926200000 | | | | | | | | |
| Made in | CHINA | | | | | | | | |

| PRODUCT DATA SHEET | | | | | | |
|--------------------|---|---------|---------|---------|---------|-----|
| | XS | S | M | L | XL | XXL |
| Our reference | | 9001330 | 9001331 | 9001332 | 9001333 | |
| Description | Vinyl Gloves | | | | | |
| | Vinyl gloves blue powder-free M5 100 / dispenser box HY@PRO | | | | | |
| |  | | | | | |

| LOGISTIC DATA SALES UNIT | | | | | | | | |
|--------------------------|--------|---------------|----------|-------------|------------|-------------|------------|--------------|
| General information | | Material | | Carton | | | | |
| Size | pieces | EAN Code | REF code | Length (mm) | Width (mm) | Height (mm) | Net weight | Gross weight |
| XS | | | | | | | | |
| S | 100 | 5412276261033 | 9001330 | 220 | 120 | 60 | 460 | 510,9 |
| M | 100 | 5412276261057 | 9001331 | 220 | 120 | 60 | 500 | 550,9 |
| L | 100 | 5412276261071 | 9001332 | 220 | 120 | 60 | 579 | 629,9 |
| XL | 100 | 5412276261095 | 9001333 | 220 | 120 | 60 | 627 | 677,9 |
| XXL | | | | | | | | |

| LOGISTIC DATA OUTER PACKAGING | | | | | | | | |
|-------------------------------|--------|---------------|----------|-------------|------------|-------------|------------|--------------|
| General information | | Material | | Carton | | | | |
| Size | pieces | EAN Code | REF code | Length (mm) | Width (mm) | Height (mm) | Net weight | Gross weight |
| XS | | | | | | | | |
| S | 10 | 5412276261040 | 9001330 | 320 | 240 | 250 | 4,5 | 5,609 |
| M | 10 | 5412276261064 | 9001331 | 320 | 240 | 250 | 5,509 | 6,009 |
| L | 10 | 5412276261088 | 9001332 | 320 | 240 | 250 | 6,299 | 6,799 |
| XL | 10 | 5412276261101 | 9001333 | 320 | 240 | 250 | 6,779 | 7,279 |
| XXL | | | | | | | | |

| LOGISTIC DATA PALLET | | | | | |
|----------------------|-------------------|---------------------|--------------|---|---------------------------------------|
| General information | | Pallet: EURO-PALLET | | | |
| Size | Cartons per layer | Layers per pallet | Netto height | Gross Height (incl. Euro pallet 14,4cm) | Gross weight (incl. Euro pallet 25kg) |
| XS | | | | | |
| S | 11 | 6 | 25 | 164,4 | 395,19kg |
| M | 11 | 6 | 25 | 164,4 | 421,59kg |
| L | 11 | 6 | 25 | 164,4 | 473,73kg |
| XL | 11 | 6 | 25 | 164,4 | 505,41kg |
| XXL | | | | | |

| PRODUCT DATA SHEET | | | | | | |
|---------------------------|--|---------|---------|---------|---------|---|
| | XS | S | M | L | XL | XXL |
| Our reference | | 9001330 | 9001331 | 9001332 | 9001333 | |
| Description | Vinyl Gloves Vinyl gloves blue powder-free M5 100 / dispenser box HY@PRO | | | | |  |
| Declaration of conformity | | | | | | |



Conformiteitsverklaring 10/2011 - Belscan

Datum: 05-02-2018
Eigenaar: Q-TeamCode: I.02.09.03.DOC.11 Versie: 001
Autorisator: QA

Declaration of compliance for materials and articles intended to come into contact with food

The Supplier, or his authorized representative who is established in the community:

Name : BELSCAN CONTINENTAL BV
Address : STOKKELAAR 4 B-9160 LOKEREN BELGIUM

Declares that the following product(s):

Vinyl gloves blue powder free ref. 9001330-9001331-9001332-9001333

are in accordance with Regulations (EC) No 1935/2004 (**Non-synthetic material**), No 2023/2006 (**good manufacturing practice**) and No. 10/2011 (**synthetic material**)

For use in the following circumstances

- type of food stuff intended for coming into contact with materials / objects: All types of food with exception of fatty foods
- Storage time and temperature of the material/object: 3 years- between 5° c and 25 °c
- Possible treatment for the material/object: not suitable for heat treatment
- Ratio surface/volume: 10 mg/d²

(Adequate information on all substances for which restrictions exist, both at EU and national level, so that further users can be in accordance with these restrictions. In the absence of Belgian and European legislation, all information relating to international restrictions, standards or values must be displayed (Council of Europe, WHO, Codex Alimentarius ...)

Completed at,

Lokeren

Radea Ahaddour
Quality department
For Belscan Continental BV

Date: 17/11/2021

(Handwritten signature and stamp)
Belscan Continental BV
Stokkelaar 4 - 9160 Lokeren
Belgium
BTW BE-0680.094.867

¹ Legal requirement: Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004 on materials and articles intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC ² Legal requirement: Regulation (EU) No 10/2011 of 14 January 2011 on plastic materials and articles intended to come into contact with food.



Documentatie AS4 | Copyright © 30/06/2015 | www.AS4.be